

COMPACT DESIGN, **BIG PERFORMANCE**

GIANT[®]
BY TOBROCO

ATTACHMENTS GREAT DIVERSITY



650+ ATTACHMENTS

SKID STEER LOADERS | WHEEL LOADERS | TELESCOPIC LOADERS | TELEHANDLERS

THE COMPANY ENGINEERING AND PRODUCTION UNDER ONE ROOF

*“Developed in **The Netherlands**,
built for the world”*

In more than 25 years, TOBROCO-GIANT has grown into a global player in compact machines with one of the broadest portfolios in the industry. The wide range of attachments ensures that all work can be carried out with one machine. This means that GIANT machines can be used all year round for all kinds of work.

Attachment equipment is developed in-house at TOBROCO-GIANT in the Netherlands and manufactured in our own factory in Hungary. By using the most modern technology, ensuring continuous innovation and applying the best components, GIANT machines and attachments are produced with the greatest care and quality.

Every day, the team of more than 500 employees in the Netherlands, Hungary and America focuses with passion and enthusiasm on complete customer satisfaction.


As a producer of wheel loaders and attachments, TOBROCO-GIANT knows better than anyone how important an attachment is for your machine to perform optimally. The goal of the attachments team is to let the user get the best possible return from the GIANT.

We have more than 650 different attachments available so that the GIANT machines can change from an earth-moving machine to, for example, a sweeper, paving machine, feeding machine, lawn mower, hedge trimmer, snow blade, excavator or forklift.

Our engineers design for each GIANT model their own line of attachments, tailored to the characteristics and performance of the machine. As a result, for example, we have already included more than 45 different variants of Earth buckets in our standard range.

The engineering team is constantly expanding customerspecific attachments by testing and improving our existing line of attachments.

In addition to our own attachments engineering department, TOBROCO-GIANT also has its own production locations in Oisterwijk (NL) and Füzesabony (HU). Our factory in Hungary was newly completed in 2022 with a work floor of more than 10,000 m². This modern factory has an extensive, CNC controlled, machine park with several robots and a fully automatic sand blasting and paint shop line for surface treatment of attachments.





PALLET FORK DOUBLE HOOK
GA300

Widths: adjustable



PALLET FORK FIXED
GA100

Width: 55 cm

PALLET FORK

Pallet forks are indispensable for a GIANT machine. This makes it easy to lift and move pallets and other (heavy) materials. The TOBROCO-GIANT pallet forks are easily adjustable and also available in different lengths.

Options: load backrest, hydraulic grapple



PALLET FORK
GA200

Widths: adjustable



PALLET FORK
GA300

Widths: adjustable



PALLET FORK
GA400

Widths: adjustable



PALLET FORK
GA500

Widths: adjustable



PALLET FORK ELEVATED
GA300

Widths: adjustable



PALLETVORK SHORT LIFT
GA300

Widths: adjustable



PALLET FORK HYDRAULICALLY

The hydraulically adjustable pallet forks from TOBROCO-GIANT are ideal for switching between different types of pallets. From the cab of the machine, the fork distance is easy to adjust by the hydraulic function.

Options: load backrest



PALLET FORK HYDRAULICALLY
SIDE SHIFT
GA300

Widths: adjustable



PALLET FORK HYDRAULICALLY
FORK ADJUSTER
GA300

Widths: adjustable



PALLET FORK HYDRAULICALLY
FORK ADJUSTER + SIDE SHIFT
GA300

Widths: adjustable



PALLET FORK HYDRAULICALLY
FORK ADJUSTER
GA500

Widths: adjustable



PALLET FORK SIDE SHIFT
GA500

Widths: adjustable



EARTH BUCKET

The GIANT earth buckets are specially designed for earthmoving. The top of the bucket is parallel to the bottom, which makes it easier to use. The buckets are also equipped with hardox wear plates, which considerably increases the life of the buckets.



EARTH BUCKET
GA100

Widths: 75 - 120 cm



EARTH BUCKET
GA200

Widths: 90 - 130 cm



EARTH BUCKET WITH TEETH
GA100 - GA600

Widths: available with welded or screwed tine



EARTH BUCKET TOP CLAMP
GA200

Widths: 90 - 130 cm



EARTH BUCKET GP LINE
GA200

Widths: 90 - 125 cm



EARTH BUCKET
GA300

Widths: 90 - 180 cm



EARTH BUCKET
GA500

Widths: 140 - 220 cm



EARTH BUCKET
GA600

Widths: 175 - 230 cm



EARTH BUCKET GP LINE
GA300

Widths: 130 - 140 cm



EARTH BUCKET GP LINE
GA400

Widths: 150 - 170 cm



EARTH BUCKET GP LINE
GA500

Widths: 200 cm



HIGH VOLUME BUCKET

The TOBROCO-GIANT high volume bucket is a very versatile bucket for any machine. The bucket is widely applicable and can be used with agricultural companies, (road) construction & demolition companies, horse farms and plant nurseries.



HIGH VOLUME BUCKET
GA100

Widths: 75 - 120 cm



HIGH VOLUME BUCKET
GA200

Widths: 75 - 130 cm



HIGH VOLUME BUCKET
GA300

Widths: 75 - 175 cm



HIGH VOLUME BUCKET
GA500

Widths: up to 240 cm



HIGH VOLUME BUCKET
GA600

Widths: 170 - 230 cm



HIGH VOLUME BUCKET WITH TOP CLAMP
GA100

Widths: 75 - 120 cm



HIGH VOLUME BUCKET WITH TOP CLAMP
GA200

Widths: 75 - 130 cm



HIGH VOLUME BUCKET WITH TOP CLAMP
GA300

Widths: 75 - 175 cm

HIGH VOLUME BUCKET WITH TOP CLAMP

The additional top clamp on the TOBROCO-GIANT high volume bucket allows more materials to be grabbed and keeps the content from falling. The clamp is equipped with strong screwed or welded clamp teeth.



HIGH VOLUME BUCKET WITH TOP CLAMP
GA500

Widths: 170 - 220 cm





STONE BUCKET

The stone buckets of TOBROCO-GIANT are perfect for transporting and sieving waste and rubble. The stone bucket is provided with a removable plate. Through the plate, the stone bucket can also be used for earthmoving. The stone bucket offers a good view of the work and is equipped with a Hardox wear plate.

Options: teeth



STONE BUCKET
GA100

Widths: 75 - 120 cm



STONE BUCKET
GA200

Widths: 75 - 130 cm



STONE BUCKET
GA300

Widths: 75 - 140 cm



STONE BUCKET
GA400

Widths: up to 180 cm



STONE BUCKET
GA500

V: 170 - 220 cm



STONE BUCKET
GA600

Widths: 175 - 230 cm



STONE BUCKET WITH TOP CLAMP
GA200

Widths: 75 - 130 cm



STONE BUCKET WITH TOP CLAMP
GA300

Widths: 75 - 175 cm



GRADING BUCKET

The grading bucket is equipped with a double Hardox wear blade at the front, a Hardox chopping blade at the rear and 2 glide strips under. This makes the grading bucket easier to use and ideal for levelling and ground work.

Options: side walls



GRADING BUCKET
GA300

Widths: 110 - 140 cm



GRADING BUCKET
GA400

Widths: 140 - 175 cm



GRADING BUCKET
GA500

Widths: 170 - 220 cm



PELICAN BUCKET

This multifunctional grab bucket is ideal for loading straw, silage or manure. The pelican bucket can optionally be equipped with side walls so that the load does not fall. In addition, the pelican bucket is equipped with Hardox wear blades.

Options: side walls



**PELICAN BUCKET
SCREWED TEETH
GA300**

Widths: 75 - 175 cm



**PELICAN BUCKET
SCREWED TEETH
GA500**

Widths: 170 - 220 cm



**PELICAN BUCKET
WELDED TEETH
GA200**

Widths: 75 - 130 cm



**PELICAN BUCKET
WELDED TEETH
GA300**

Widths: 75 - 175 cm



**PELICAN BUCKET
WELDED TEETH
GA600**

Widths: 175 - 230 cm



HIGH TIP BUCKET

TOBROCO-GIANT high tip buckets have an innovative design that ensures maximum performance with extra tipping height. The extra tipping height makes it possible to tip into higher tippers, containers or wagons. The high tip bucket is perfectly suited for loading sand, manure, rubble, wood or salt trucks in winter.

Options: side walls (only with high tip pelican bucket)



**HIGH TIP BUCKET
GA200**

Widths: 75 - 130 cm



**HIGH TIP BUCKET
GA300**

Widths: 75 - 175 cm



**HIGH TIP BUCKET
GA500**

Widths: 170 - 230 cm



**HIGH TIP PELICAN BUCKET
GA300**

Widths: 75 - 175 cm



**HIGH TIP PELICAN BUCKET
GA500**

Widths: 170 - 220 cm



4-IN-1 BUCKET

The 4-in-1 bucket from TOBROCO-GIANT is characterized by its versatility. With the bucket it is possible to transport, shovel, clamp, level and dig. These many options make the bucket very efficient, because there is less need to change with other buckets. The bucket is standard equipped with 3 Hardox wear plates and clamping teeth.

Options: teeth



4-IN-1 BUCKET
GA200
Widths: 75 - 130 cm



4-IN-1 BUCKET
GA300
Widths: 75 - 175 cm



4-IN-1 BUCKET
GA500
Widths: 170 - 220 cm



4-IN-1 BUCKET
GA600
Widths: 175 - 230 cm



MANURE FORK
GA100
Widths: 75 - 120 cm



MANURE FORK
GA200
Widths: 75 - 130 cm



MANURE FORK
GA300
Widths: 75 - 175 cm

MANURE FORK

The manure fork is perfect for mucking out and loading cow or other manure. It is also suitable for transporting hay bales or silage. The GIANT manure fork has a robust design, strong clamping teeth and high clamping force.



MANURE FORK
GA500
Widths: 160 - 220 cm



MANURE FORK
GA600
Widths: 175 - 230 cm





FEED AND MANURE SCRAPER

The GIANT feed and manure scrapers are the perfect attachments for use on yards, roads and in stables to push feed, manure, dirt and even snow. Because the rubber scrapers have a canvas insert, it is safe to push feed.




FEED AND MANURE SCRAPER (FIXED)
GA300

Widths: 130 - 260 cm



FEED AND MANURE ARROWSCRAPER
GA300

Widths: 140 - 220 cm



FEED AND MANURE SCRAPER FOR MANURE FORK
GA300

Width: 130 cm



FEED AND MANURE SCRAPER ANGLE ADJUSTMENT MECHANICALLY
GA300

Widths: 130 - 260 cm



FEED AND MANURE SCRAPER ANGLE ADJUSTMENT HYDRAULICALLY
GA300

Widths: 130 - 260 cm



INVERSE FEED AND MANURE SCRAPER
GA300

Widths: 120 - 250, 155 - 360 or 205 - 425 cm



FEED AND MANURE SCRAPER WITH BRUSH
GA300

Width: 160 cm



FEED AND MANURE SCRAPER WITH BRUSH HYDRAULICALLY
GA300

Width: 160 cm



BALE CLAMP

TOBROCO-GIANT offers bale clamps for both round and square bales. The bale clamps ensure that packs of hay or straw are clamped and transported safely.



BALE CLAMP SQUARE BALES
GA300

Widths: 70 - 210 cm



BALE CLAMP SQUARE BALES
GA400

Widths: 70 - 210 cm



BALE CLAMP ROUND BALES
GA300

Widths: 100 - 150 cm



BALE CLAMP SQUARE BALES PROFI
GA400

Widths: 70 - 210 cm



DIVIDE BUCKET (ZV)

ISO Contents: 350 L

Suitable for: sawdust, ground rapeseed straw, ground wheat straw, flax litter

Options: scraper, sidebrush, level meter



DIVIDE BUCKET (ZV)

ISO Contents: 650 L

Suitable for: sawdust, ground rapeseed straw, ground wheat straw, flax litter

Options: scraper, sidebrush

DIVIDE BUCKET

The divide buckets are developed for the dosed spreading and turning out of various stable bedding, feed and sand. The buckets are easy to load with a machine, because it is easy to scoop with the bucket.



DIVIDE BUCKET (ZV)

ISO Contents: 1.245 L

Suitable for: sawdust, ground rapeseed straw, ground wheat straw, flax litter

Options: scraper, sidebrush



DIVIDE BUCKET (VDB)

ISO Contents: 600 L - 1.000 L

Suitable for: sawdust, ground rapeseed straw, ground wheat straw, flax litter, horse manure, maize

Options: scraper, sidebrush



DIVIDE BUCKET (MVB)

ISO Contents: 800 L - 1.000 L

Suitable for: solid fraction, horse manure, chopped straw, ground straw, straw/water/lime



SAND DISPENSER HOPPER (ZVDB)

ISO Contents: 400 L - 555 L

Suitable for: sand

SAND DISPENSER HOPPER

The sand dispenser hopper line is designed to enable controlled dosing of sand and other materials such as compacted concrete. The hopper can be easily loaded by a wheel loader, and with an integrated auger, the material can be evenly distributed along the machine.



**ROTARY TILLER
GA300**

Widths: 105 - 145 cm



**STONE BURIER
GA300**

Widths: 105 - 125 cm

ROTARY TILLER

The TOBROCO-GIANT rotary tiller is designed for converting soil, mixing materials with the existing soil and leveling the terrain. The stone burier loosens the soil. Stones, rubble and weeds are buried and finally the ground is levelled before sowing.



**OPTIONAL SEED HOPPER
GA300**

Widths: 105 - 170 cm



BALE FORK

The bale fork is an indispensable attachment to easily move bales and packs of hay or straw. The GIANT bale fork is available with 2, 3 or 5 teeth that makes it easy to pierce the bales.



BALE FORK 2 TEETH
GA200

Width: 80 cm



BALE FORK 3 TEETH
GA300

Width: 100 cm



BALE FORK 5 TEETH
GA400

Width: 180 cm



BALE FORK 5 TEETH
GA500

Width: 220 cm

PUSH BROOM

The broom is suitable for a large number of sectors, from agriculture to construction and from equine farming to zoos. Because the push broom is equipped with 11 rows of brushes, the attachment is perfect for sweeping coarse material such as grain, maize silage, gravel, bark, wood chips, etc.



PUSH BROOM
GA300

Widths: 150 - 230 cm



BRUSH

Paved areas or streets are easy to sweep in with sand with the GIANT brush. The brush slats are easy to replace and fitted with plastic bristles. This makes the brush perfect for road workers and landscape gardeners.



BRUSH
GA300

Widths: 120 - 175 cm





SWEeper
Simplex

Width: 120 cm

Options: hydraulic emptying, hydraulic angling, side brush

SWEeper

The TOBROCO-GIANT sweeper aims for maximum cleaning results. Leaves, manure, clippings, sand and other loose waste are easily swept up. The sweeper is also perfect for clearing snow. The sweepers are standard equipped with a collector and optionally available with a side brush or water spray system.



SWEeper
Eco Pro

Widths: 135 - 180 cm

Options: hydraulic emptying, hydraulic angling, side brush, water tank



SWEeper
Plus

Widths: 150 - 230 cm

Options: hydraulic emptying, hydraulic angling, side brush, water tank



SWEeper
Profi

Widths: 200 - 230 cm

Options: hydraulic emptying, hydraulic angling, side brush, water tank

WEED BRUSH

With the GIANT weed brush removing weed is easy. The weed brush is easy to adjust hydraulically or mechanically. The swivel arm is adjustable to the left and right and the angle of the brush is also adjustable. The weeds are quickly removed and neatly collected thanks to the mud guard.

Options: 67% poly / 33% steel, 100% poly



WEED BRUSH
GA200

Working width: 145 cm



WEED BRUSH
GA300

Working width: 230 cm



WEED BRUSH FIXED
GA300

Working width: mechanically adjustable



DIGGER ARM
GA300

Bucket widths: 25 - 40 cm
Option: teeth



DIGGER ARM HYDRAULICALLY SWIVELABLE
GA300

Bucket widths: 25 - 40 cm
Option: teeth



OPTIONAL RIPPERTEETH
GA300

Bucket widths: 1, 2 or 3 teeth

DIGGER ARM

The digger arm is an attachment that is easy to operate from the wheel loader. Narrow trenches and holes are easy to dig and sand can be unloaded sideways thanks to the hydraulic swivel arm. The GIANT stick comes with a high quality bucket.



STONE LIFTER WITH JIB
GA300

Grapple width: 0 - 40 cm

CLAMP

These clamps make it possible to easily place or move heavy packs of stones or kerbstones. This makes it efficient and labor relieving.



STONE CLAMP
GA300

Grapple width: 78 - 112 cm



STONE GRAP
GA200

Grapple width: 50 - 100 cm
Max load height: 40 cm



BRICK AND BLOCK CLAMP
GA300

Grapple width: 72 - 115 cm
Max load height: 30 cm



BRICK AND BLOCK CLAMP
GA400

Grapple width: 72 - 115 cm
Max load height: 60 cm



SLAB AND CURB CLAMP
GA300

Grapple width: 88 - 164 cm



VACUUM UNIT

The leaf collector unit is a powerful vacuum cleaner for vacuuming leaves, hedge waste or litter. The unit is standard equipped with a mechanically operated 6 m swivel arm. The collector has a capacity of 900 l. The GIANT leaf collector unit is perfect for gardeners for clearing leaves after trimming a hedge.



LEAF COLLECTOR UNIT
GA300

Contents of collector: 900 L



HORSE MANURE VACUUM UNIT
GA300

Contents of collector: 200 L



MINI DUMPER

The sturdy mini dumper is perfect for transporting green waste, sand, tree trunks, tools, feed or other materials. For various sectors such as construction, green, agricultural or horse farms. Tires are optionally available in different types and the bucket is easy to tilt hydraulically.



MINI DUMPER
GA200

ISO Contents: 710 L



BROKEN STONE FORK

The broken stone fork is a perfect attachment for GIANT machines to easily break out and scoop out bricks/vowels. The screwed teeth are placed close together so that no stones fall through or get stuck and only the sand is sieved out. The GIANT broken stone fork has an extra slanted tooth on both sides that ensures no stones fall off the broken stone fork.



BROKEN STONE FORK
GA200

Widths: 90 - 130 cm



BROKEN STONE FORK
GA300

Widths: 120 - 200 cm



BROKEN STONE FORK WITH TOP CLAMP
GA200

Widths: 90 - 130 cm



BROKEN STONE FORK WITH TOP CLAMP
GA300

Widths: 120 - 200 cm



RAKE BUCKET

The rake bucket is specifically designed for removing pavement. Thanks to its unique shape with rounded edges and low sidewalls, stones and tiles can smoothly roll into the bucket, allowing a large surface area of pavement to be removed in one motion. The wide blade at the front ensures a smooth substrate is left behind, which is ideal for re-paving roads or plazas.



RAKE BUCKET
GA400

Width: 140 - 200 cm

CONCRETE MIXING BUCKET

GIANT's concrete mixing buckets make it easy and flexible to mix concrete or cement on-site. With the side outlet, the liquid concrete can be easily poured in a straight line, which is convenient for laying curbs or gutters. Additionally, the concrete can be poured into hard-to-reach places using the discharge chute.



CONCRETE MIXING BUCKET
GA200

Content: 100 L



CONCRETE MIXING BUCKET
GA300

Content: 150 - 400 L
Option: side chute



CONCRETE MIXING BUCKET
GA400

Content: 500 - 700 L
Optie: side chute





LEVELLING FRAME
GA200
Width: 130 cm



LEVELLING FRAME
GA300
Widths: 130 - 250 cm

LEVELLING FRAME

The perfect attachment for leveling various surfaces with sand, gravel or earth and to prepare the substrate for paving and earthworks. TOBROCO-GIANT's leveling frames are designed to safely transport a bucket and pallet fork on the frame during transport.





JIB BOOM
GA300
Length: 60 cm
Option: Hydraulic rotator

JIB BOOM

The jib boom is extremely suitable for lifting heavy materials, a brick and block clamp or a vacuum lifting unit. Optionally, the lifting jib can be equipped with a lifting hook or a hydraulic rotator with which the materials can be positioned even better.




JIB BOOM
GA300
Length: 80 cm
Option: Hydraulic rotator




JIB BOOM
GA300
Length: 69 - 96 cm
Option: Hydraulic rotator




JIB BOOM
GA300
Length: 120 cm



LIFTING ARM MECHANICALLY
GA300
Lengths: 130 - 380 cm



LIFTING ARM HYDRAULICALLY
GA300
Lengths: 130 - 380 cm



LIFTING ARM HYDRAULICALLY
GA500
Lengths: 160 - 260 cm

JIB BOOM

Lift up and lift with the TOBROCO-GIANT lifting booms. Actions associate with construction projects. TOBROCO-GIANT has an extensive range of lifting products. The lifting booms are extremely suitable for loading and unloading goods at height and for easy lifting of materials.




BIG BAG LIFTING ARM

The big bag attachment is perfect for transporting heavy big bag bags. For example at a plant nursery where the big bag bags are filled with potting soil. The additional side brackets ensure that the big bag is transported safely and stably and does not rock. The big bag bag is easy to pick up with the hook on the GIANT attachment.



BIG BAG LIFTING ARM
GA300
Lengths: 150 - 190 cm



WINTER SERVICE

The TOBROCO-GIANT snow plow is perfect for clearing roads and terrains from snow. The snow plow is available in several widths and equipped with a wear resistant Erlan wear strip, which makes snow clearing even better. In combination with the salt spreader, a GIANT machine makes ways and areas perfectly clear of snow in one pass.



SNOW BLADE
GA200

Widths: 130 - 155 cm



SNOW BLADE
GA300

Widths: 130 - 200 cm



SNOW BLADE
GA500

Widths: 175 - 250 cm



SNOW BLADE V-PLOW
GA400

Widths: 150 - 210 cm



SALT SPREADER
GA300

Contents: 70 - 170 L



MOWER

The extensive range of TOBROCO-GIANT mowers can be used widely for mowing roadsides, a lawn, meadow or park.



SICKLE BAR MOWER
GA300

Breedtes: 160 - 240 cm



FLAIL MOWER
GA300

Widths: 100 - 160 cm
Option: paddle flails or verticut flails



FLAIL MOWER HD
GA300

Widths: 140 - 160 cm
Option: paddle flails or verticut flails



FLAIL MOWER WITH SIDE ARM
GA300

Widths: 120 - 160 cm
Option: paddle flails or verticut flails



FLAIL MOWER WITH COLLECTOR
GA300

Widths: 120 - 160 cm



ROTARY MOWER
GA300

Widths: 120 - 210 cm
Option: mulchingset



DRUM MOWER
GA300

Widths: 100 - 155 cm



FENCE MOWER
GA300

Width: 60 cm



CLAMP (ROOT BALL/POT)

To make moving and loading heavy plants with a root ball or pot easier, TOBROCO-GIANT has developed this root ball/pot clamp. This way, the heavy work is taken over and the working conditions are improved. This root ball/pot clamp has a hydraulic drive.



**2D POT CLAMP
GA 300**

Widths: 40 - 120 cm



**ROOT BALL CLAMP
GA300**

Widths: 30 - 80 cm



**POT CLAMP
GA300**

Widths: 15 - 90 cm



**POT CLAMP
GA300**

Widths: 300 - 1.500 cm

AUGER UNIT

Met deze multifunctionele boorunit kunnen gaten tot 70 cm geboord worden. Bovendien kan de multifunctionele boorunit ook uitgerust worden met een houtspijter of stobbeboor voor het wegfrezen of splijten van boomstronken.





**HYDRAULIC AUGER UNIT
GA300**

Torque: 1500 - 3500 nm



**STUMP GRINDER, LOG SPLITTER,
EARTH DRILLS
GA300**

Earth augers: a diameter of 10-70 cm

HEDGE TRIMMER

Keep hedges and bushes in shape with the GIANT hedge trimmer. One extremely robust design ensures for minimal maintenance and the possibility of pruning branches into a diameter of 5 cm.





**HYDRAULIC HEDGE TRIMMER
GA300**

Width: 150 cm
Tilt range: 120°



**HYDRAULIC HEDGE TRIMMER
GA300**

Width: 180 cm
Tilt range: 200°



BEEHIVE CLAMP

With GIANT's beehive clamp, beehives, which are often fragile and difficult to transport, can be moved safely. The spring-loaded and fully adjustable clamp securely holds the hive in place on the pallet fork for worry-free and safe transport over uneven terrain.



BEEHIVE CLAMP
Heights: 36 - 139 cm



PALLET LIFT

With the lifting mast it is possible to easily lift pallets and heavier materials higher. The mast has an extra lifting height of 100 cm and the pallet forks have a load capacity of 2,500kg.



PALLET LIFT
GA300
Height: 100 cm



ADAPTERS

With a wide range of adapters, the GIANT machine becomes even more versatile. These adapters allow different attachments and carts to be connected to, maneuvered, and used with the machine.



QUICK HITCH ADAPTERS
GA300
Options: various hitches



HYDRO ROTATOR ADAPTER
GA300



SIDESHIFT ADAPTER
GA300
Sliding range: 2 x 20 cm



TOW BAR FIXED
GA300



TOWBAR ADAPTER MECHANICALLY ADJUSTABLE
GA300



3 POINTS ADAPTER
GA300
Category: 0 + 1 + 2 catch hook
K50 ball + towing eye coupling



GRAPPLES (WOOD/TREE/BRUSH)

The wood grapples, equipped with a jib and rotator, make it possible to grab tree trunks from various angles. This simplifies and speeds up loading, unloading, and stacking.



**WOOD GRAPPLE
GA100**

Diameter: 10 - 40 cm



**WOOD GRAPPLE
GA200**

Diameter: 10 - 40 cm



**WOOD GRAPPLE
GA300**

Diameter: 10 - 40 cm



**WOOD GRAPPLE USA
GA200**

Options: scoops and rake
Diameter: 152 cm



TREE AND BRANCH GRAPPLE

With the tree and branch grapple, tree trunks and branches can be easily transported, loaded, and unloaded. This grapple is easy to operate and connect to a machine.



**TREE AND BRANCH GRAPPLE
GA200**

Widths: 80 - 110 cm



**TREE AND BRANCH GRAPPLE
GA300**

Widths: 130 - 150 cm



**WOOD GRAPPLE
GA300**

Widths: 120 - 150 cm



VACUUM UNIT

The vacuum unit allows non-porous materials to be safely lifted and precisely positioned.



VACUUMUNIT

Load capacity: 2.500 kg



SUCTION CUP
Five versions

Lifting weight: 150 - 2.500 kg



MANURE CONTAINER

The horse manure container is the ideal attachment to muck out horse stables. The metal container is strong and can quickly be connected to a GIANT machine. Thanks to the open front, the horse manure container is just as easy to load as it is to empty.



MANURE CONTAINER
GA300

Content: 1000 - 1600 L



TRENCHER

Very suitable for digging narrow trenches without damaging the surface.



TRENCHER
B20

Digging depth: 60 cm
Slot width: 10-30- cm



TRENCHER
B30

Digging depth: 90 cm
Slot width: 10-30- cm

DIVERSITY

In addition to the attachments that are built in series, TOBROCO-GIANT has a diverse range of attachments which are available in one version. Make your machine multifunctional and get every job done with one machine.



BELT RAKE
GA300

Widths: 240 - 280 cm



DRUM COMPACTOR
GA300

Working widths: 160 - 200 cm
Weight: 620 - 800 kg
Hydraulics flow: 45 L/min



STUMP GRINDER
GA200 + GA300



WORK PLATFORM
GA300



MANURE MIXER
GA300

Shaft length: 150 cm



RIPPER
GA400

Widths: 150 - 200 cm



ARENA LEVELER
GA300

Widths: 145 - 200 cm



SIDE DUMP BUCKET
GA200



SAFETY BUMPER
GA300

Bucket widths: 110 - 175 cm



BOLD ON CUTTING EDGE BLADE

Bucket widths: 70 tot 260 cm



TRANSPORT TROLLEY VOLUME BUCKET

Bucket widths: 110 - 175 cm

SPECIALS ON REQUEST

TOBROCO-GIANT has a team of engineers and constructors who are specialized in attachments. They focus entirely on developing new and improving existing attachments.

In addition to the standard range, TOBROCO-GIANT also offers many attachments that we have developed as a special over the years. This allows us to quickly respond to your special request. If we cannot fulfill your wish with an already existing special, we will look at the possibilities, together with our attachments team. Our goal is to get the best possible return from your GIANT, so that the GIANT machines can transform from an earth-moving machine to the machine you want within seconds. Some of these projects are listed below.



BALE GRAPPLE



DEMOLITION HAMMER



LOG SPLITTER



STREET WASHING UNIT



TOW BAR ADAPTER SPECIAL



SNOWBLOWER



SILAGE GRAB



TREE GRAPPLE VERTICAL




WEED BRUSH POLYESTER



RECYCLING BUCKET

HITCHES

Our attachments are also extremely suitable for other brands of (compact) wheel loaders, front loaders, telehandlers and skid steers. We have now worked out almost 100 different hitches. Below a selection from the range.





"Partly thanks to the multifunctional range of GIANT attachments we have been able to expand the company's services."



SECTORS

ONE MACHINE FOR EVERY JOB



ALL MODELS

TOBROCO-GIANT has been manufacturing high-quality GIANT machines and attachments since 1996 when we opened our first factory in The Netherlands. Today, TOBROCO-GIANT offers one of the broadest product portfolios in the business with 35 different models sold in 60 countries. In addition to machines with motors from 20 hp to 76 hp, TOBROCO-GIANT also supplies electrical machines and a complete line of compaction machines. TOBROCO-GIANT grows into a full-liner in compact and durable equipment.



GS800G
GS800
GS900



G1100 (TELE)
G1200 (TELE)



G1500 (X-TRA)



G2200E (X-TRA)



G2300 (X-TRA) HD



G2500 (X-TRA) HD



G2700 (X-TRA / TELE) HD
G2700 (X-TRA / TELE) HD+
G2700E (X-TRA / TELE)
G2700E (X-TRA / TELE) HD



G3500 (X-TRA / TELE)



G5000 (X-TRA / TELE)



GT5048



VIBRATORY PLATES
E-VIBRATORY PLATES



VIBRATORY RAMMERS
E-VIBRATORY RAMMERS



REVERSIBLE VIBRATORY PLATES
E-REVERSIBLE VIBRATORY PLATES

Elektrik



GIANT[®]
BY TOBROCO

TOBROCO-GIANT

Sprenglingenstraat 57, 5061 KM Oosterwijk (The Netherlands)

Tel.: +31 (0)13-5211212 | Fax: +31 (0)13-5234045

Internet: www.tobroco-giant.com | E-Mail: info@tobroco-giant.com



www.facebook.com/tobrocogiant

www.tobroco-giant.com

www.instagram.com/tobrocogiant

www.youtube.com/tobrocogiant

All technical data in this brochure refer to under Central European operating conditions tested series models and describe the standard functions. Specifications and their modes of operation, as well as accessories, depend on the model and the options of the product, as well as country-specific regulations in the country of sale. Images may show non-listed or non-standard available products. The descriptions, illustrations, weights and technical data are not binding and are in accordance with the state of the art at the time of going to press. Changes in the design, equipment, optics and technology are due to the continuous development of its products without prior notice. Do you need special functions which are only available through the use of additional components and / or under special circumstances, please contact us! We will be happy to answer your questions and let you know whether and under what conditions regarding the product and the environmental conditions special functions are realizable. When doubts about the capacity or the performance of our products under special circumstances, we recommend to perform under controlled conditions. Testing activities despite the utmost care, we cannot rule out deviations from illustrations or dimensions, calculation errors, misprints or omissions in this brochure. We therefore accept no liability for the correctness and completeness of the information contained in this brochure. As part of our General Terms and Conditions, we guarantee the proper functioning of our products. Furthermore Linear guarantees we provide in principle. A further liability than outlined in our Terms and Conditions is excluded.

Article number and
version number:
P0013ATTAEV123